



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND
CITIES—UNTABULATED.

AUSTRALIA—*New South Wales—Sydney*.—Month of April, 1905. Estimated population, 518,570. Total number of deaths, 453, including cerebro-spinal meningitis 1, diphtheria 2, enteric fever 3, plague 2, and 36 from tuberculosis.

AUSTRIA-HUNGARY—*Brunn*.—Month of April, 1905. Estimated population, 95,342. Total number of deaths, 279, including diphtheria 2, enteric fever 1, measles 1, whooping cough 2, and 75 from tuberculosis.

BRAZIL—*Pernambuco*.—Two weeks ended May 16, 1905. Estimated population, 200,000. Total number of deaths, 481, including enteric fever 5, measles 1, smallpox 223, and 57 from tuberculosis.

FRANCE—*Marseille*.—Month of May, 1905. Estimated population, 491,161. Total number of deaths, 831, including diphtheria 4, enteric fever 6, whooping cough 2, and 119 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended June 3, 1905, correspond to an annual rate of 14.7 per 1,000 of the aggregate population, which is estimated at 15,609,377.

Bradford.—Two weeks ended June 3, 1905. Estimated population, 286,799. Total number of deaths 171, including diphtheria 1, scarlet fever 3, whooping cough 9, smallpox 1, and 14 from phthisis pulmonalis.

London.—One thousand three hundred and nineteen deaths were registered during the week, including measles 58, scarlet fever 9, diphtheria 7, whooping cough 41, enteric fever 4, and 27 from diarrhea. The deaths from all causes correspond to an annual rate of 14.7 per 1,000. In Greater London 1,759 deaths were registered. In the "outer ring" the deaths included 2 from diphtheria, 5 from measles, 4 from scarlet fever, 9 from whooping cough, and 8 from diarrhea.

Ireland.—The average annual death rate represented by the deaths registered during the week ended June 3, 1905, in the 21 principal town districts of Ireland was 17.5 per 1,000 of the population, which is estimated at 1,093,959. The lowest rate was recorded in Wexford, viz, 4.7, and the highest in Kilkenny, viz, 39.3, per 1,000. In Dublin and suburbs 145 deaths were registered, including measles 3, scarlet fever 1, whooping cough 3, and 31 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended June 3, 1905, correspond to an annual rate of 16.9 per 1,000 of the population, which is estimated at 1,749,917. The lowest rate of mortality was recorded in Leith, viz, 10.2, and the highest in Glasgow, viz, 18.3 per 1,000. The aggregate number of deaths registered from all causes was 567, including diphtheria 1, measles 33, scarlet fever 3, and 24 from whooping cough.

HAWAII—*Honolulu*.—Month of May, 1905. Census population, 39,306. Total number of deaths 71, including diphtheria 1, enteric fever 3, and 12 from tuberculosis.

PHILIPPINE ISLANDS—*Manila*.—Month of February, 1905. Population, 219,941. Total number of deaths 670, including enteric fever 8, whooping cough 1, plague 5, and 94 from tuberculosis.

SPAIN—*Corunna*.—Month of May, 1905. Estimated population, 50,000. Total number of deaths 95, including measles 1, and 16 from tuberculosis.

URUGUAY—*Montevideo*.—Month of April, 1905. Estimated population, 292,282. Total number of deaths, 323, including diphtheria 1, enteric fever 11, scarlet fever 1, smallpox 4, and 43 from tuberculosis.

Cholera, yellow fever, plague, and smallpox, December 31, 1904, to June 30, 1905.

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from American consuls through the Department of State, and from other sources.]

[For reports received from June 25 to December 30, 1904, see PUBLIC HEALTH REPORTS for December 30, 1904.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
China:				
Tientsin	Mar. 4-11	1	1	
India:				
Bombay	Nov. 31-May 30		9	
Calcutta	Nov. 19-May 6		1,611	
Madras Presidency	Mar. 6-May 27	10	8	
Persia:				
Teheran	May 12		3	
Russian Empire:				
Alexandropol District	Nov. 23-Dec. 7	3		
Astrakhan Province	Nov. 23-Jan. 8	9		
Etshniadsin District	Nov. 23-Dec. 7	35	28	
Jelisavetpol District	Nov. 22-26	32		
Kuba District	Nov. 21-Dec. 1	20	14	
Nachitshevan District	Nov. 23-29	213	152	
Nowobajazet District	Nov. 23-Dec. 7	18	12	
Don Province	Feb. 5-17	7	3	
Samara Province	Nov. 23-Dec. 21	180		
Saratov Province	Nov. 23-Jan. 23	78	35	
Zarizyn	May 2-12	1	1	
Sharuro-Daralageski District	Nov. 23-Dec. 7	725	618	
Uralsk	Nov. 1-Feb. 10			Epidemic.
Trans-Caspian territory and Central Asia—				
Askabad	Dec. 8-May 4	7		
Kaachka	Dec. 27	1		
Serachs	Nov. 23-Dec. 14	51	27	
Tashkent	Dec. 8-31	29	19	
Trans-Caucasia—				
Baku	Nov. 14-Feb. 24	416	318	
Batum	Dec. 1-7	3		
Lenkoran	Dec. 8-28	251	226	
Erivan	Dec. 1-Jan. 30	1,057	695	
Tiflis	Nov. 23-29	4		
Straits Settlements:				
Singapore	Dec. 11-17		1	
Turkey (general)	Nov. 28-Jan. 28	712	570	Jan. 1-Dec. 26, 1904: 10,466 cases; 9,192 deaths.
Bagdad	Nov. 20-28	1	3	
Ravandouz	Nov. 20-Dec. 19	220	196	
Van	Jan. 2-23	131	62	